

**DAVID GRAYS
LIME SULPHUR
INSECTICIDE/FUNGICIDE**

ACTIVE CONSTITUENT : 200g/L SULPHUR (S)
PRESENT AS POLYSULPHIDE SULPHUR

Controls certain fungal diseases and insect pests on Roses and Fruit Trees in the home garden.

200mL
500mL

| | |
|------------------------------|------------|
| N.R.A. | |
| APPROVED LABEL (TEXT) | |
| Label No: | 53481/0900 |
| Date: | 6.1.10/00 |
| Signature: | G. Bamber |

DAVID GRAYS LIME SULPHUR INSECTICIDAL/FUNGICIDE.

HOW TO USE:

DO NOT spray during heat of the day.

DO NOT spray when temperatures are above 32°C or within 10 days of an oil spray.

DO NOT spray when trees are wet or just before rain.

| PLANT | DISEASE OR INSECT | RATE | HOW TO APPLY |
|--|---|--------------------------|--|
| Fruit Trees (general). | Scales, Two Spotted Mite, Peach Aphids. | 50mL per litre of water. | Apply as a general spray in mid winter. |
| Peaches, Nectarines, Prunes, Plums and Apricots. | Leaf Curl, Shot Hole, Freckle. | 50mL per litre of water. | Spray at bud movement. |
| | Rust. | 10mL per litre of water. | Cover spray 3 weeks after petal fall. |
| Apples. | Black Spot (not WA) and Powdery Mildew. | 50mL per litre of water. | At green tip stage. |
| | | 30mL per litre of water. | At pink bud stage. |
| | | 20mL per litre of water. | At petal fall (not WA). |
| Roses. | Two Spotted Mite, Powdery Mildew. | 10mL per litre of water. | Apply in Spring, Summer and Autumn as necessary. |
| | | 20mL per litre of water. | Apply in Winter. |

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.

David Grays Lime Sulphur Insecticidal/Fungicide.

HOW TO APPLY: Spray as instructed in the How to Use chart and ensure that all areas of the plant needing to be treated are thoroughly covered.

HOW TO PREPARE: Shake well before use. Remove the childproof cap and pour the required amount into a measuring cylinder. Repeat if larger volumes are required, then replace the childproof cap. Do not over mix and use only freshly mixed spray. Do not store prepared spray.

CAUTION: Do not use on Delicious or Cox's Orange Pippin apples. Do not apply to Apricots during the growing season.

STORAGE and DISPOSAL: Store in the original, closed container in a cool dry place. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in the garbage.

COMPATIBILITY: Lime Sulphur is not suitable for spraying together with any other insecticide or fungicide product.

David Gray & Co. Pty. Ltd.
2 Rawlinson Street
O'CONNOR WA 6163
ACN: 008 671 127

Batch No.
D.O.M.
BARCODE.

NRA Approval No: 53481/0900

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS
LIME SULPHUR
INSECTICIDE/FUNGICIDE**

ACTIVE CONSTITUENT : 200g/L SULPHUR (S)
PRESENT AS POLYSULPHIDE SULPHUR

| | | |
|--------------|----------|------------------|
| GROUP | Y | FUNGICIDE |
|--------------|----------|------------------|

20L
200L

David Gray & Co. Pty. Ltd.
2 Rawlinson Street
O'CONNOR WA 6163
ACN: 008 671 127

NRA Approval No: 53481/0900
D.O.M.
Batch No.

BARCODE.