

Product Name: SUREFIRE FIPRONIL GRANULAR ANT KILLER
APVMA Approval No: 70230/138868



Label Name:	SUREFIRE FIPRONIL GRANULAR ANT KILLER
-------------	---------------------------------------

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	ACTIVE CONSTITUENT: 0.25 g/kg FIPRONIL
-------------------------	--

Mode of Action:	GROUP 2B INSECTICIDE
-----------------	-----------------------------

Statement of Claims:	Fast acting, non repellent control of ants in turf, external surrounds of buildings and structures as per the Directions For Use.
----------------------	---

Net Contents:	100 g-100 kg
---------------	--------------

Restrains:	RESTRAINT DO NOT apply inside buildings.
------------	---

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	GENERAL INSTRUCTIONS
-----------------------	----------------------

	<p>For optimum results use a correctly calibrated granule applicator. SUREFIRE Fipronil Granular Ant Killer is a highly effective, fast acting, non-repellent, odourless product specifically formulated for outdoor use to control ants. When spread on outdoor surfaces it provides barrier protection.</p> <p>When used as directed, SUREFIRE Fipronil Granular Ant Killer will not harm soil and plants. Inconspicuous in use – ideal for pavers and paths. Can be used on lawns, gardens or hard surfaces.</p>
--	---

Resistance Warning:	<p>Insecticide Resistance Warning GROUP 2B INSECTICIDE</p> <p>For insecticide resistance management SUREFIRE Fipronil Granular Ant Killer is a Group 2B insecticide. Some naturally-occurring insect biotypes resistant to SUREFIRE Fipronil Granular Ant Killer and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if SUREFIRE Fipronil Granular Ant Killer or other Group 2B insecticides are used repeatedly. The effectiveness of SUREFIRE Fipronil Granular Ant Killer on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, PCT Holdings Pty Ltd accepts no liability for any losses that may result from the failure of SUREFIRE Fipronil Granular Ant Killer to control resistant insects.</p> <p>SUREFIRE Fipronil Granular Ant Killer may be subject to specific resistance management strategies. For further information contact your PCT Holdings Pty Ltd representative or local agricultural department agronomist.</p>
---------------------	---

Precautions:	<p>PRECAUTION:</p> <p>DO NOT spread granules directly onto humans, pets, exposed food, food preparation areas or food utensils.</p>
--------------	--

Protections:	<p>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</p> <p>Very toxic to aquatic life. DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.</p> <p>PROTECTION OF PETS AND LIVESTOCK</p> <p>Before treatment, remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Keep away from domestic pets, especially dogs. If dogs eat the granules, contact your veterinary surgeon immediately. Use with caution around pets – ensure product is well dispersed, i.e. swept in between pavers, cracks and crevices and disperse into soil and/or lawn. Cover or remove fishponds, aquariums etc., before application.</p> <p>DO NOT apply SUREFIRE Fipronil Granular Ant Killer within 2 metres of a fishpond or water containing fish or aquatic species.</p> <p>DO NOT graze treated turf or feed turf clippings from any treated area to poultry or livestock.</p>
--------------	---

Storage and Disposal:	<p>STORAGE AND DISPOSAL</p> <p>Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant local, state or territory regulations. Do not burn empty containers or product.</p>
-----------------------	---

Safety Directions:	SAFETY DIRECTIONS Will irritate the eyes. Avoid contact with eyes. Wash hands after use.
--------------------	--

First Aid Instructions:	FIRST AID If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.
-------------------------	---

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE:

SITUATION	PEST	RATE kg/ha	RATE kg/100 m²	CRITICAL COMMENTS
Turf (for example: lawns, commercial turf farms, parks, recreational areas, golf courses, bowling greens, sports fields)	Funnel Ants	75 - 150	0.75 – 1.5	<p>Broadcast granules with suitable application equipment to ensure uniform coverage over the treatment area. The treatment area must be irrigated with up to 4 mm of water immediately after application. Inspect treatment areas for continuing activity. If required, repeat applications may be made at 2-month intervals up to a maximum of 5 applications per year.</p> <p>In domestic turf situations, use is only by authorised lawn care specialists, professional pest managers or persons with relevant chemical handling certification.</p>
External surrounds of buildings and structures including: gardens, lawns, ants nests and trails	Nuisance ants	75 - 150	0.75 – 1.5	<p>Apply granules to areas where ants are active. Sprinkle evenly over the area to be treated. Where possible apply directly on and around ant nests or trails. Reapply as necessary. Use high rate for heavy infestations and for maximum residual control. Use the low rate for maintenance situations or to control light infestations. When applied to pavers, sweep excess product into cracks for best control.</p> <p>In domestic turf situations, use is only by authorised lawn care specialists, professional pest managers or persons with relevant chemical handling certification.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION