

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
 Dangerous to fish and other aquatic life. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL
 Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS
 Will irritate the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.


FIRST AID
 If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia Tel. 131126; New Zealand 0800 764 766.

MSDS
 Additional information is listed in the Material Safety Data Sheet (MSDS).

EXCLUSION OF LIABILITY
 Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

In a Transport Emergency Dial 000
 Police or Fire Brigade

SPECIALIST ADVICE IN EMERGENCY ONLY
1800 024 973
 ALL HOURS - AUSTRALIA WIDE


 9 328447 001758
 APVMA Approval No: 45923/500mL/1008
 Batch No:
 Date of Manufacture:

29934955.00

Prepared For: **Sumitomo Chemical Australia Pty Ltd** 501 Victoria Avenue, Chatswood NSW 2967 Regulatory Author: **Christine Wasiowych** APVMA Approval No: **45923/500mL/1008** APVMA ATS No: **46107**

	Detail	Colour Key	% Scale of actual article		Copyright (c) 2008 Artegra Imaging Pty Limited All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without permission in writing from Artegra Imaging Pty Limited. All translation rights are reserved by the publisher. Respective Trademarks and copyrights held by relevant owner.
	Name: SUMILARV Insect Growth Regulator Package: 500mL Version No: 1 Label Size: H 110mm x W 90mm	4 Colour Process  This Documents File name 45923_46107_500ml_Label_MPL_V01.pdf	@A3 Output 100%	@A4 Output 72%	
	* Note: "General Text / Sub Heading" sizes may vary between "Actual" size shown and the "Required" size depending on the available space				

Calibrated Type Specifications: at 100% scale.	Required		Actual		Leading	Case
	mm	Points	mm	Points		
Front Panel						
Distinguishing Name			9.90	39.35		
Signal Heading	4.95	19.68	5.03	20.00	Bold	Upper
Signal Sub Heading 1	1.98	7.87	2.52	10.00	Bold	Upper
Signal Sub Heading 2	1.98	7.87	2.52	10.00	Bold	Upper
Active Constituents	1.50	5.96	2.01	8.00	Bold	Upper
Mode of Action	4.95	19.68	2.01	8.00	Normal	Upper
Statement of Claims	1.50	5.96	2.01	8.00	Normal	U/L
Restrictions	2.00	7.96	2.01	8.00	Bold	Upper
Contents	3.30	13.12	3.02	12.00	Normal	U/L
Emergency Contact #	1.50	5.96	1.51	6.00	Normal	Upper
Registrant	1.50	5.96	1.51	6.00	Normal	U/L
Ancillary Panels						
General Headings	2.00	7.95	2.01	8.00	Bold	Upper
General Text / Sub Heads *	1.60	6.36	1.76	7.00	Normal	U/L
Not to be Used Heading	2.00	7.95	2.52	10.00	Bold	Upper
Other Limitations	2.00	7.95	2.01	8.00	Bold	Upper
Withholding Periods	1.50	5.96	2.01	8.00	Bold	Upper
Resistance Warnings	1.50	5.96	2.01	8.00	Bold	U/L
Safety Direction Heading	1.50	5.96	2.01	8.00	Bold	Upper
First Aid Heading	1.50	5.96	2.01	8.00	Bold	Upper

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
A	Directions For Use																														Page 1 of 1		
B																																	
C																																	
D																																	
E																																	
F																																	
G																																	
H																																	
I																																	
J																																	
K																																	
L																																	
M																																	
N																																	
O																																	
P																																	
Q																																	
R																																	
S																																	
T																																	

Front

SAFETY DIRECTIONS
Will irritate the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray wear elbow length PVC gloves. Wash hands after use. After each day's use wash gloves.

FIRST AID
If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia Tel. 131126; New Zealand 0800 764 766.

MSDS
Additional information is listed in the Material Safety Data Sheet (MSDS).

EXCLUSION OF LIABILITY
Unless otherwise expressly stated in writing neither Sumitomo Chemical Australia Pty Ltd nor the distributor has any knowledge of the particular use to which the buyer proposes to put this product. In purchasing this product the buyer must rely solely upon their own skill and judgement as to its suitability for the particular purpose for which it is required. Except to the extent that exclusion or denial of liability is prohibited under the Trade Practices Act or any relevant state legislation, Sumitomo Chemical Australia Pty Ltd and the distributor expressly exclude any warranty as to the quality or fitness of any goods sold for any purpose whatsoever and deny all responsibility in contract tort negligence or otherwise for any harm or damage resulting from the use of such goods or from acting on the advice or recommendations as to such use given in good faith by any representative of Sumitomo Chemical Australia Pty Ltd or the distributor. If these conditions are unacceptable to the buyer, the goods should be returned to Sumitomo Chemical Australia Pty Ltd unopened within seven (7) days for refund of purchase price.

In a Transport Emergency Dial 000 Police or Fire Brigade	SPECIALIST ADVICE IN EMERGENCY ONLY 1800 024 973 ALL HOURS - AUSTRALIA WIDE
---	---

Sumiguard® is a Registered Trademark of Sumitomo Chemical Co. JAPAN

APVMA Approval No:45923/1008

**READ SAFETY DIRECTIONS
BEFORE OPENING OR USING**



ACTIVE CONSTITUENT: 20 g/L PYRIPROXYFEN
GROUP 7C INSECTICIDE

**TO BE USED BY LICENSED COMMERCIAL
PEST CONTROL OPERATORS ONLY**

For use with an adulticide to control cockroaches and fleas in domestic, industrial and public health situations as per the DIRECTIONS FOR USE table. Breaks the breeding cycle.

IMPORTANT: READ THIS LEAFLET BEFORE USE.

Sumitomo Chemical Australia Pty Ltd
ABN: 21 081 096 255
501 Victoria Avenue Chatswood NSW 2067
TEL: (02) 9904 6499
© Registered Trademark of SUMITOMO CHEMICAL AUSTRALIA PTY LTD
29935055.00



Back

DIRECTIONS FOR USE

SITUATION	PEST	RATE	CRITICAL COMMENTS
Houses, flats, factories, shops, warehouses, restaurants, public buildings	Fleas	Initial treatment 25 mL/5 L water applied as a tank mix with the label rate of registered adulticide such as Sumiguard®. Maintenance treatments 25 mL/5 L water applied alone.	Apply as a coarse spray at the rate of 5 L/100 m ² or to the point of run off which will vary with the nature of the surface being treated. Re-apply when signs of infestation reappear.
	Cockroaches	50 mL/5 L water applied as a tank mix with the label rate of a registered adulticide such as Sumiguard®.	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

INSECTICIDE RESISTANCE WARNING **GROUP 7C INSECTICIDE**
For insecticide resistance management Sumilarv Insect Growth Regulator is a Group 7C insecticide. Some naturally occurring insect biotypes resistant to Sumilarv and other Group 7C insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Sumilarv or other Group 7C insecticides are used repeatedly. The effectiveness of Sumilarv on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, Sumitomo Chemical Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects. Sumilarv may be subject to specific resistance management strategies. For further information contact your local supplier, Sumitomo Chemical Australia Pty Ltd representative or local agricultural department agronomist.


Where to Apply
Cockroaches – areas where cockroaches harbour, paying particular attention to cracks and crevices.
Fleas – skirting boards, floors and carpets and adjacent wall area.
Do not spray the moving parts of any machinery, electric motors or switch gear with the water-based product.

PRECAUTIONS
AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED.
BEFORE USE – REMOVE OF COVER ALL EXPOSED FOODSTUFFS, COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED.
AFTER USE – THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES.
PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT
Dangerous to fish and other aquatic life. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.
STORAGE AND DISPOSAL
Keep out of reach of children. Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or preferably rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Prepared For: **Sumitomo Chemical Australia Pty Ltd** 501 Victoria Avenue, Chatswood NSW 2967 Regulatory Author: **Christine Wasiowych** APVMA Approval No: **45923/1008** APVMA ATS No: **46107**



Name: SUMILARV Insect Growth Regulator
Article: 500mL Directions For Use Leaflet
Version No: 1
Size: H 108mm x W 71mm (Folded)

Colour Key
4 Colour Process 
This Documents File name
45923_46107_500ml_Leaflet_MPL_V01.pdf

% Scale of actual article
@A3 Output
100%

@A4 Output
72%

Copyright (c) 2008 Artegra Imaging Pty Limited
All rights Reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or in any information storage or retrieval system, without permission in writing from Artegra Imaging Pty Limited. All translation rights are reserved by the publisher. Respective Trademarks and copyrights held by relevant owner.

Calibrated Type Specifications: at 100% scale.	Required		Actual		Leading	Case
	mm	Points	mm	Points		
Front Panel						
Distinguishing Name			9.90	39.35		
Signal Heading	4.95	19.68	5.03	20.00	Bold	Upper
Signal Sub Heading 1	1.98	7.87	2.52	10.00	Bold	Upper
Signal Sub Heading 2	1.98	7.87	2.52	10.00	Bold	Upper
Active Constituents	1.50	5.96	2.01	8.00	Bold	Upper
Mode of Action	4.95	19.68	2.01	8.00	Normal	Upper
Statement of Claims	1.50	5.96	2.01	8.00	Normal	U/L
Restrictions	2.00	7.96	2.01	8.00	Bold	Upper
Contents	3.30	13.12	3.02	12.00	Normal	U/L
Emergency Contact #	1.50	5.96	1.51	6.00	Normal	Upper
Registrant	1.50	5.96	1.51	6.00	Normal	U/L
Ancillary Panels						
General Headings	2.00	7.95	2.01	8.00	Bold	Upper
General Text / Sub Heads *	1.60	6.36	1.76	7.00	Normal	U/L
Not to be Used Heading	2.00	7.95	2.52	10.00	Bold	Upper
Other Limitations	2.00	7.95	2.01	8.00	Bold	Upper
Withholding Periods	1.50	5.96	2.01	8.00	Bold	Upper
Resistance Warnings	1.50	5.96	2.01	8.00	Bold	U/L
Safety Direction Heading	1.50	5.96	2.01	8.00	Bold	Upper
First Aid Heading	1.50	5.96	2.01	8.00	Bold	Upper

* Note: *General Text / Sub Heading sizes may vary between Actual size shown and the Required size depending on the available space