

# DAVID GRAY & CO. PTY LIMITED 2 Rawlinson Street O'CONNOR WA 6163 PO BOX 2084 PALMYRA DC WA 6961 Ph: (08) 9337 4933; Fax: (08) 9337 8316 email: general@davidgray.com.au web: www.davidgray.com.au

SAFETY DATA SHEET

PRODUCT NAME DAVID GRAYS VEGETABLE DUST / GRO NATURAL DERRIS DUST

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier name	DAVID GRAY & CO PTY LIMITED
Address	2 Rawlinson St, O'Connor, WA, 6961, AUSTRALIA
Telephone	(08) 9337 4933
Emergency	(08) 9337 4933 (B/H)
Email	general@davidgray.com.au
Web site	http://www.davidgray.com.au
Synonym(s)	VEGETABLE DUST • GRO NATURAL DERRIS DUST INSECTICIDE • PRODUCT CODE: 9052 (6X500G) , 8051 (12X500G)
Use(s)	CONTROL OF APHIDS & CATERPILLARS
SDS date	18 April 2023
2. HAZARDS IDENTIF	ICATION

#### GHS Signal word: NONE. Not hazardous.

#### Statements

P102	Keep out of reach of children.
P103	Read label before use.
P264	Wash hands, face and all exposed skin thoroughly after handling.
P280	Wear protective clothing, gloves, eye/face protection and suitable respirator.

#### **Response Precautionary Statements**

P101	If medical advice is needed, have product container or label at hand.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.

#### **Storage Precautionary Statement**

Not allocated

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN Number	None Allocated	Transport Hazard Class	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content
ROTENONE	83-79-4	201-501-9	0.5%
FILLER(S)	-	-	99.5%

# 4. FIRST AID MEASURES

Еуе	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
Advice to doctor	Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

Flammability

Non flammable. May evolve toxic gases if strongly heated.

ChemAlert.

Fire and explosion	No fire or explosion hazard exists.
Extinguishing	Use an extinguishing agent suitable for the surrounding fire.
Hazchem code	None allocated.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.
Environmental precautions	Prevent product from entering drains and waterways.
Methods of cleaning up	Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust.
References	See Sections 8 and 13 for exposure controls and disposal.

## 7. STORAGE AND HANDLING

Storage	Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.
Handling	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure standards

Ingredient	Reference	TWA		STEL	
ingrouon		ppm	mg/m³	ppm	mg/m³
Rotenone (commercial)	SWA (AUS)		5		

Biological limits	No biological limit allocated.
Engineering controls	Avoid inhalation. Use in well ventilated areas. Maintain dust levels below the recommended exposure standard.

PPE

Eye / Face	Wear dust-proof goggles.
Hands	Wear PVC or rubber gloves.
Body	When using large quantities or where heavy contamination is likely, wear coveralls.
Respiratory	Where an inhalation risk exists, wear a Class P1 (Particulate) respirator.



# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	WHITE TO OFF-WHITE POWDER
Odour	CHARACTERISTIC ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	NOT AVAILABLE
-	



Solubility (water) Vapour pressure Upper explosion limit Lower explosion limit Partition coefficient Autoignition temperature	INSOLUBLE NOT AVAILABLE NOT RELEVANT NOT RELEVANT NOT AVAILABLE NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE

## **10. STABILITY AND REACTIVITY**

Material to avoid	Incompatible with oxidising agents (e.g. hypochlorites) and alkalis (e.g. sodium hydroxide).
Hazardous Decomposition Products	May evolve toxic gases if heated to decomposition.

## **11. TOXICOLOGICAL INFORMATION**

Health Hazard Summary	May be harmful. This product has the potential to cause adverse health effects with over exposure. Use safe work practices to avoid eye or skin contact and inhalation. Chronic exposure may result in liver and kidney damage. No adverse health effects are expected when the product is used in accordance with label directions.	
Еуе	Low to moderate irritant. Contact may result in mild irritation, lacrimation and redness.	
Inhalation	Low to moderate toxicity. Over exposure to dust may result in irritation of the nose and throat, with coughing.	
Skin	Low irritant. Prolonged or repeated exposure to dust may result in mechanical irritation and dermatitis.	
Ingestion	May be harmful. Ingestion may result in gastrointestinal irritation, nausea, vomiting, abdominal pain and diarrhoea. Oral LD50 (rat) is > 26400 mg/kg.	
Toxicity data	ROTENONE (83-79-4) LD50 (oral) LD50 (dermal)	2.8 mg/kg (mouse) 1 g/kg (rabbit)

# **12. ECOLOGICAL INFORMATION**

Toxicity	No information provided.
Persistence and degradability	No information provided.
Bioaccumulative potential	No information provided.
Mobility in soil	No information provided.
Other adverse effects	Rotenone is highly toxic to fish and has a low toxicity to pets and livestock. It does not bioaccumulate in animal systems. In soil, rotenone is readily degraded by hydrolysis and microbial action. Rotenone degradation is highly accelerated in alkaline salts. This compound will degrade rapidly when exposed to direct sunlight.

## **13. DISPOSAL CONSIDERATIONS**

Waste disposal	Ensure product is covered with moist soil to prevent dust generation and dispose of to approved Council landfill. Contact the manufacturer/supplier for additional information (if required).
Legislation	Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	None Allocated	None Allocated	None Allocated
Proper Shipping Name	None Allocated	None Allocated	None Allocated
Transport Hazard Class	None Allocated	None Allocated	None Allocated
Packing Group	None Allocated None Allocated None Allocated		None Allocated

Environmental hazards No information provided

Special precautions for user

Hazchem code None Allocated

## 15. REGULATORY INFORMATION

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Inventory Listing(s) AUSTRALIA: AICS (Australian Inventory of Chemical Substances) All components are listed on AICS, or are exempt.

#### **16. OTHER INFORMATION**

Additional information

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGE (TWA) or WES (WORKPLACE EXPOSURE STANDARD) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



Abbreviations	ACGIH	American Conference of Governmental Industrial Hygienists
	CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
	CNS	Central Nervous System
	EC No.	EC No - European Community Number
	EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
	GHS	Globally Harmonized System
	GTEPG	Group Text Emergency Procedure Guide
	IARC	International Agency for Research on Cancer
	LC50	Lethal Concentration, 50% / Median Lethal Concentration
	LD50	Lethal Dose, 50% / Median Lethal Dose
	mg/m³	Milligrams per Cubic Metre
	OËL	Occupational Exposure Limit
	рН	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
	ppm	Parts Per Million
	STEL	Short-Term Exposure Limit
	STOT-RE	Specific target organ toxicity (repeated exposure)
	STOT-SE	Specific target organ toxicity (single exposure)
	SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
	SWA	Safe Work Australia
	TLV	Threshold Limit Value
	TWA	Time Weighted Average
Report status		ent has been compiled by RMT on behalf of the manufacturer, importer or supplier of the serves as their Safety Data Sheet ('SDS').
	manufacture current state time of issu	I on information concerning the product which has been provided to RMT by the er, importer or supplier or obtained from third party sources and is believed to represent the e of knowledge as to the appropriate safety and handling precautions for the product at the i.e. Further clarification regarding any aspect of the product should be obtained directly inufacturer, importer or supplier.
	not provide no liability f	has taken all due care to include accurate and up-to-date information in this SDS, it does any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts for any loss, injury or damage (including consequential loss) which may be suffered or any person as a consequence of their reliance on the information contained in this SDS.
Prepared by	5 Ventnor Ā Western Au Phone: +61 Fax: +61 8 9 Email: info@	8 9322 1711

[End of SDS]

ChemAlert.