

Company Name: Product Name: APVMA Approval No: DAVID GRAY & CO. PTY LIMITED DAVID GRAYS RTU ANTEX OUTDOOR PEST CONTROL 62050/106219



Label Name:	DAVID GRAYS RTU ANTEX OUTDOOR PEST CONTROL

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Constituent Statements:	0.5 g/L BIFENTHRIN
----------------------------	--------------------

Statement of	Outdoor Pest Control. Kills and controls spiders, ants, fleas, papernest wasps,
Claims:	cockroaches, mosquitos and flies before they enter your home.

Net Contents:	500mL 750mL 1L 2L 3L 4L
	5L

Restraints:	 DO NOT apply to food plants. DO NOT apply during windy conditions. DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray directly onto humans, pets, exposed food, food utensils or food preparation areas. DO NOT spray if bees are feeding on flowering plants. DO NOT apply within 2 metres of fishpond or water containing fish or aquatic species.
-------------	---

How to Use:	See attachment.
	This section contains file attachment. File Name: DIRECTIONS FOR USE - ANTEX RTU -10-6-16.docx File Size: 12780 bytes

Withholding	
Periods:	

How to Prepare:	This product is specifically formulated for outdoor use. This product kills pests on direct spray and has a residual effect on sprayed surfaces to stop pests entering the home through cracks, windows and doors. 500mL of ANTEX* covers approximately 10m2.
	HOW TO USE: Shake well before using. The product is ready to use. No dilution or mixing is required. For complete home protection, perimeter treatment is advised. Apply to a band of soil or vegetation 2-3 metres wide around and adjacent to the home. If the treated band is disturbed, a new application should be made to maintain the barrier. Also spray under eaves, around window frames, behind down pipes and guttering, around sheds and all other insect infested areas outside the home. Spray areas thoroughly holding the spray nozzle about 20-25 cm from the surface. Spray evenly and to near the point of run-off using around 500 mL spray mixture per 10m2. Residual control will be achieved on non-absorbent surfaces (timber, fibre cement, ceramic, aluminium). Residual control on absorbent surfaces (bricks and concrete) will be shorter.

Precautions: Will KILL bees	Precautions:	Will KILL bees

Protections:	Before treatment remove animals and pets from the areas to be treated. Cover or remove any open food containers. Cover or remove fish ponds, aquariums etc. before spraying. DO NOT apply within 2 metres of fishpond or water containing fish or aquatic species.
--------------	--

Storage and	Keep out of reach of children. Store in the closed, original container in a cool dry place.
Disposal:	Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in
Disposal.	plastic bag and putting in garbage.

Safety Directions:	Will irritate the eyes. Avoid contact with eyes. Wash hands after use.
--------------------	--

First Aid	If poisoning occurs, contact a doctor or Poisons Information Centre on 13 11 26. If
Instructions:	swallowed do NOT induce vomiting. Give a glass of water.

s:		
s:		

FOR EXTERNAL USE ONLY – DO NOT USE INDOORS.

SITUATION	PESTS	HOW TO APPLY
Around the	Spider	Spray directly onto the spiders or where webs are present. For longer- lasting protection spray under floors, eaves, around windows, protected
perimeter of the home.		darkened areas and inside cracks and crevices. Repeat when spiders begin to reappear.
	Papernest Wasps	Spray nests directly and to the point of run-off. When all adults wasps have been knocked down remove the nest from the structure.
Under eaves,	Ants	Apply to trails and nests, around garbage bins and points of entry. Repeat
guttering and down		as necessary.
pipes.	Cockroaches	Spray all points of entry including air vents, window frames, cracks,
	ļ	crevices and door jambs.
Around window frames.	Fleas	Spray outside surfaces of buildings and surroundings including but not limited to foundations, verandas, window frames, eaves, patios, garages,
		dog kennels, sand pits, turf, trunks of woody ornamentals or other areas
		where pests congregate or have been seen. For best results perimeter
Under house and around foundations.		treatment is advised – apply as indicated above.
	Flies	Apply as a residual treatment to surfaces where insects rest or harbour such
	Mosquitoes	as window sills, door jambs and fly screens. Reapply as necessary.
Under house and		where pests congregate or have been seen. For best results perimeter treatment is advised – apply as indicated above. Apply as a residual treatment to surfaces where insects rest or harbour

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNER APPROPRIATE LEGISLATION.