

**POISON**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**



**Aqua K-Othrine®**

**INSECTICIDE SPACE-SPRAY CONCENTRATE**

**ACTIVE CONSTITUENT: 20 g/L DELTAMETHRIN**  
**SOLVENT: 250 g/L HYDROCARBON LIQUID**

**GROUP 3A INSECTICIDE**

A pyrethroid based insecticide concentrate for use as a space-spray for the control of adult mosquitoes, flies, biting midges, cockroaches, spiders and stored product pests as per the Directions for Use.

Shake well before use.

### **Net contents**

\* L

\* Approved pack size range 1 L - 10 L

## DIRECTIONS FOR USE

### SPRAY DRIFT RESTRAINTS (FOR OUTDOOR USE)

Users of this product **MUST make an accurate written record** of the details of each spray application within 24 hours following application and **KEEP** this record for a minimum of 2 years. The spray application details that must be recorded are: **1** date and start and finish times of application; **2** location address and areas sprayed; **3** full name of this product; **4** amount used per hectare and number of hectares applied to; **5** situation and pest; **6** wind speed and direction during application; **7** air temperature; **8** nozzle brand, model and type and spray system pressure measured during application; **9** name and address of person applying this product. (Additional record details may be required by the State or Territory where this product is used).

SITUATION	PEST	RATE	CRITICAL COMMENTS
Outdoor and indoor situations where flies, mosquitoes and/or biting midges are a problem (including but not limited to abattoirs, refuse tips, picnic areas, sports grounds, recreation areas, factories, industrial buildings, domestic residences and areas associated with animal production).	Adult flies, mosquitoes and biting midges (sand flies)	<b>Outdoors</b> 50 mL/ha  <b>Indoors</b> 2.5 mL/ 1000 m <sup>3</sup>	Dilute with a suitable volume of water and apply using equipment capable of generating a mist or thermal or cold fog. Avoid application outdoors if wind speed is in excess of 10 km/h as spray will be dispersed too quickly.
Domestic, commercial, industrial and public buildings, including food processing establishments, shops, factories, farm buildings, warehouses, ships, offices, schools, storerooms, hospitals, barracks, private houses	Spiders, American and German cockroaches, Stored product pests	<b>Indoors</b> 2.5 mL/ 1000 m <sup>3</sup>	Dilute with a suitable volume of water and apply using equipment capable of generating a mist or thermal or cold fog.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**NO WITHHOLDING PERIOD IS REQUIRED WHEN USED AS DIRECTED BUT THIS PRODUCT SHOULD NOT BE APPLIED OVER WATER INTENDED FOR HUMAN CONSUMPTION.**

## **GENERAL INSTRUCTIONS**

Aqua K-Othrine is a water-based space spray concentrate (oil in water emulsion) specifically designed for dilution in water ONLY, which can be applied by ultra low volume (ULV; vehicle mounted application techniques), thermal fogging or misting machines.

Aqua K-Othrine incorporates anti-evaporant Film Forming Aqueous Suspension Technology (FFAST); which allows dilution with water yet spray droplet size is maintained as if diluted in oil.

### **Mixing**

Dilute Aqua K-Othrine with the suitable volume of water according to the equipment manufacturer's recommendations for the output rates required. As standard practice, application equipment should be calibrated to determine output rates and actual volumes required in order to reach the target application rates of product referred to in the directions for use above.

Prepare only the amount required for immediate usage. DO NOT store diluted material.

### **Equipment**

Apply by means of appropriate specialist equipment capable of producing and distributing droplets of a volume mean diameter (VMD) value below 50 microns. This equipment may be thermal fogging equipment, cold aerosol generating ULV equipment and hand-held or knapsack sprayers which are designed for space spraying.

Note that generally speaking motorised knapsack/backpack sprayers or mist blowers produce a mist with a droplet size spectrum of 0 to 200  $\mu\text{m}$  with Volume Median Diameters greater than 50  $\mu\text{m}$ . These larger droplets are less efficient for flying insect control.

### **Application timing**

Fly and mosquito control campaigns should begin early in the breeding season. Spray rounds should initially be every other day for 7 to 10 days to kill newly emerging adults and then a maintenance phase of weekly sprays may be used. Application should be timed correctly to achieve optimum results; for fly control; application should take place in the morning when flies are at ground level and have not had a chance to disperse. Application should be targeted to resting and breeding areas.

For mosquito control the optimum application time is generally in the evening when most species are active however the peak activity time should be identified to optimise effect against the particular target species.

For control of biting midges, the optimum timing is generally at dawn or dusk when adult midges are most active.

For optimum results when applying indoors close windows and doors before application and do not open for at least 30 minutes after treatment.

## PRECAUTIONS

Avoid contact with food, food utensils, or places where food is prepared or stored.

Before use, remove or cover all exposed foodstuffs. Cover all dishes and utensils and other food preparation equipment.

After use, thoroughly ventilate treated area. Clean up thoroughly before processing/serving resumes.

Fish bowls/aquaria should be removed or covered during indoor treatment.

## Re-entry

DO NOT allow re-entry into treated areas for 4 hours after use in enclosed spaces, unless wearing chemical resistant gloves, goggles and respirator. Clothing must be laundered after each day's use. It is recommended that appropriate signage is utilised or adequate communication takes place with on-site staff and/or bystanders to ensure that these periods are adhered to.

## INSECTICIDE RESISTANCE WARNING

GROUP	3A	INSECTICIDE
-------	----	-------------

For insecticide resistance management, Aqua K-Othrine is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to Aqua K-Othrine and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Aqua K-Othrine or other Group 3A insecticides are used repeatedly. The effectiveness of Aqua K-Othrine on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty. Ltd. accepts no liability for any losses that may result from the failure of Aqua K-Othrine to control resistant insects. Aqua K-Othrine may be subject to specific resistance management strategies. For further information contact your local supplier or Bayer Environmental Science representative.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Dangerous to fish and aquatic invertebrates. DO NOT use over or immediately adjacent to any water body or water course. DO NOT contaminate streams, rivers or waterways with the chemical or used container.

## PROTECTION OF LIVESTOCK

Dangerous to bees. Will kill bees foraging in the area during application or in hives which are oversprayed or reached by spray drift.

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product. DO NOT re-use container for any other purpose.

## SAFETY DIRECTIONS

Harmful if swallowed. Will irritate the eyes. Avoid contact with eyes and skin. DO NOT inhale spray mist. Ensure adequate ventilation during use. When opening the container, mixing and loading, preparing spray and using spray wear chemical resistant gloves and face shield or goggles. When using in enclosed areas, wear elbow length chemical resistant gloves and full face-piece respirator. If product in eyes wash it out immediately with water. Avoid re-entry for 4 hours after use in confined spaces. If re-entering wear all protective clothing including respirator. After each day's use, wash gloves, face shield or goggles, contaminated clothing and respirator and if rubber wash with detergent and warm water.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed do not induce vomiting, give a glass of water.

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which is available at [www.es.bayer.com.au](http://www.es.bayer.com.au).

## EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval Number 63246/118680

K-Othrine® is a Registered Trademark of Bayer.

Bayer CropScience Pty Ltd  
A.B.N. 87 000 226 022  
Level 1, 8 Redfern Rd  
Hawthorn East, Vic. 3123  
Technical enquiries: 1800 804 479  
Website: [es.bayer.com.au](http://es.bayer.com.au)

For 24 hour specialist advice in an emergency only phone 1800 033 111
---

Batch Number  
DOM  
Barcode

GHS Classification for label

**Harmful if swallowed. May be fatal if swallowed and enters airways. May cause an allergic skin reaction.**

Do not eat, drink or smoke when using this product. Avoid breathing spray mist. Wear protective gloves. IF ON SKIN, wash with plenty of soap and water. Wash hands thoroughly after handling. If skin irritation or rash occurs: get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Rinse mouth. Do not induce vomiting. Store locked up.

