

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

FOR ANIMAL TREATMENT ONLY

DAVID GRAYS

POULTRY DUST

ACTIVE CONSTITUENT: 20g/Kg MALDISON
(AN ANTICHOLINESERASE COMPOUND)

Controls Fleas (*Echidrophaga gallinacea*), Flies (*Musca domestica L*), Lice (*Manacanthus stramineus & Menocan gallinae L*), Ticks (*Haemaphysalis spp*), and Mites (*Acarina*) on Poultry.

SQEASY PACK
400g NET

3 Kg NET

15 Kg NET

N.R.A.
APPROVED LABEL (TEXT)
Label No: 42267/0103
Date: 13.12.03
Signature: <i>Challen</i>

DAVID GRAYS POULTRY DUST

DIRECTIONS FOR USE

Dust DAVID GRAYS POULTRY DUST between the feathers of birds and repeat where necessary. To prevent breeding of poultry parasites apply Poultry Dust to roosts and crevices of buildings.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL. UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIODS (MEAT): DO NOT use later than 7 days before slaughter for human consumption.

WITHHOLDING PERIODS (EGGS): NIL

SAFETY DIRECTIONS

Avoid contact with eyes and skin and wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poison Information Centre Phone 131126.

WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with chemicals or used containers.

STORAGE AND DISPOSAL

Store in the closed original container in a dry, well ventilated area out of direct sunlight. Dispose of empty container by wrapping with paper and putting in garbage. Store below 30°C

NRA Approval No. 42267/0103

Batch No.

Date of Manufacture.

Expiry Date

BAR CODE ////////////////

DAVID GRAY & CO. PTY.LTD.
2 RAWLINSON ST. O'CONNOR. WEST AUSTRALIA 6163
ACN008671127.