

**DAVID GRAYS  
POWDERED SULPHUR**

ACTIVE CONSTITUENTS : 1000g/kg SULPHUR

To control Mites and various Fungal Diseases in the home garden.

Squeeze Pack

400g NET

<b>N.R.A.</b>	
<b>APPROVED LABEL (TEXT)</b>	
Label No:	4228/0802
Date:	26/08/02
Signature:	<i>ce/ym</i>

**DAVID GRAYS POWDERED SULPHUR:**

**HOW TO USE:**

<b>SITUATION</b>	<b>PEST</b>	<b>HOW TO APPLY</b>
Flowers and Vegetables	Powdery Mildew, Rust, Black Spot, Mites	Apply Powdered Sulphur to upper and lower surfaces of leaves and on stems and flowers of plants in the flower and vegetable garden

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED.**

**CAUTION:**

DO NOT allow chemical containers or spray to get into drains, sewers, streams and ponds. DO NOT apply if bees are feeding on flowering plants.

**SAFETY DIRECTIONS:**

Avoid contact with eyes and skin. Do not inhale dust. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water.

**FIRST AID:**

If poisoning occurs contact a doctor or Poisons Information Centre. Phone 13 11 26.

**STORAGE and DISPOSAL:**

Store in the closed, original container in a cool dry place out of reach of children. Do not store in direct sunlight. Dispose of empty containers by wrapping in paper, placing in a plastic bag and putting in garbage.

DAVID GRAY & CO. PTY. LTD.  
2 RAWLINSON STREET  
O'CONNOR WEST AUSTRALIA 6163  
ACN: 008 671 127

Batch No:  
D.O.M.  
Bar Code  
NRA Approval No: 42268/0802

**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

**DAVID GRAYS POWDERED SULPHUR**

**ACTIVE CONSTITUENTS**

**1000g/kg Sulphur (S) present as elemental sulphur**

<b>Group</b>	<b>Y</b>	<b>Fungicide</b>
--------------	----------	------------------

*-For the control of Powdery Mildew in pumpkins, marrow,  
grape vines and paw paws and the  
control of citrus rust mites*  
**25Kg NET**

**UN 1350**

**Class 4.1**

DAVID GRAYS POWDERED SULPHUR

**DIRECTIONS FOR USE**

**RESTRAINTS**

- Do Not apply to wet foliage
- Do Not dust plants under windy conditions or when temperatures exceed 30°C
- Do Not apply to cucumbers and rock melons

<b>CROP</b>	<b>PEST</b>	<b>STATE</b>	<b>CRITICAL COMMENTS</b>
Pumpkins Marrow	Powdery Mildew	Qld, NSW, Vic, WA and SA only	Apply from seedling stage onwards every 7-14 days.
Vines		Qld, NSW, Vic, WA and SA only	Apply from bud burst towards every 7-14 days. DO NOT use on wine grapes within 12 weeks of harvest.
Paw Paw		Qld, WA only	Apply from bud burst onwards every 7-14 days.
Citrus	Citrus Rust Mite	Qld, NSW, Vic, WA and SA only	Apply from bud burst onwards every 7-14 days.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS APPROVED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS**

- Sprinkle lightly and evenly covering both upper and lower surfaces of leaves and stems thoroughly.
- Rainfall and overhead irrigation may wash sulphur dust from plant surfaces. Repeat application if necessary, as soon as the plants are dry.

DAVID GRAYS POWDERED SULPHUR

**FUNGICIDE RESISTANCE WARNING**

David Grays Powdered Sulphur Fungicide/Miticide is a member of multisite activity group of fungicides. For fungicide resistance management the product is a Group Y Fungicide.

Some naturally occurring individual fungi resistant to the product and other Group Y Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product or other Group Y Fungicides thus resulting in a reduction in efficiency and possible yield loss.

Since the occurrence of resistant fungi is difficult to detect prior to use, David Gray & Co. Pty. Ltd. accepts no liability for any losses that may result from the failure of this product to control resistant fungi.

**PRECAUTIONS**

At temperatures above 24°C, there is a possibility of leaf scorching if sensitive plants are treated, therefore reduced dosages are recommended during the hot dry months.

**PROTECTION OF WILDLIFE, FISH AND THE ENVIRONMENT**

DO NOT contaminate streams, rivers or waterways with this product or used container.

**STORAGE and DISPOSAL : KEEP OUT OF REACH OF CHILDREN**

Store in a closed, original container in a cool, dry place, out of the reach of children. Do not store in direct sunlight. Store away from ignition sources. Puncture or shred the empty containers and bury them in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

**SAFETY DIRECTIONS**

Avoid contact with skin and eyes to prevent possible irritation. Do not inhale dust. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water.

**FIRST AID**

If poisoning occurs contact a doctor or Poisons Information Centre (Phone 13 11 26)

Batch No:

Date of Manufacture

NRA Approval No: 42 268/0802

DAVID GRAY & CO. PTY. LTD.

2 Rawlinson Street

O'Connor WA 6163

ACN: 008 671 127