

CAUTIONKEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING

INSECTIGONE*

INSECTICIDE

ACTIVE CONSTITUENT: 10g/L DELTAMETHRIN

GROUP 3A INSECTICIDE

For control of a range of insect pests in various situations as per the Directions for Use Table

Contents 1 Litre

PEST CONTROL TECHNOLOGIES
INTERNATIONAL PTY LTDNRA Approval No: 51943/0602 *INSECTIGONE is a registered trademark of PCT INTERNATIONAL PTY LTD
(PCT Holdings Pty Ltd ABN 11 099 023 962)1/74 Murdoch Cir, Acacia Ridge QLD 4110 • <http://pct.au.com>

CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

INSECTIGONE - DIRECTIONS FOR USE. RESTRAINT - Do Not apply spray treatment if rain is imminent

| SITUATIONS | PESTS | STATE | TREATMENT RATE | CRITICAL COMMENTS |
|--|---|--------------------------------------|------------------------------|---|
| Domestic, Commercial, Industrial and public buildings | Cockroaches, fleas, spiders, ants, silverfish | All states | Initial treatment 150 mL | On non-porous surfaces dilute with 5L of water and apply as a coarse spray at a rate of 5L per 100m ² of surface, not exceeding the point of run-off. On porous surfaces or use through power equipment, dilute with 10L of water and apply per 100m ² of surface, not exceeding the point of run-off. |
| | Carpet beetles and clothes moths, Bird mites, bed bugs | NSW, Qld, SA, WA, TAS, ACT, NT only | Maintenance Treatments 75 mL | |
| | Mosquitos | Qld, SA, WA, TAS, NT only | 75mL | |
| | Houseflies | NSW, Qld, SA, WA, TAS, ACT, NT only | 75mL | |
| Wildflowers for export | Quarantine Pests | Western Australia only | 250mL to 100L of water | Flowers must be totally submerged in the diluted product for not less than 1 minute and then left to dry naturally for 2 hours. |
| For short term protection of freshly felled pine logs prior to debarking | Five spined bark beetle, Ips grandicollis | All states & NT | 100mL | Dilute with 10L of water and apply through knapsack or power sprayer at the rate of 10L 100m ² of surface area. |
| For short term protection of freshly felled logs, poles, and posts and sawn timber including in situ timbers | Beetle family Anobiidae, Beetle Family Bostrychidae, Beetle Family Lyctidae | Qld, NSW, VIC, SA, TAS, ACT, NT only | | Dilute with 10L of water and apply through knapsack or power sprayer at the rate of 10L per 100m ² of surface area. NB - for best results apply promptly after felling or sawing operations. |

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**GENERAL INSTRUCTIONS:** Invert original container before use. For best results form a premix of the required amount of product with an equal volume of water. Stir thoroughly. Add to spray tank and dilute with remaining amount of water.**CAUTION:** AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED. BEFORE USE: REMOVE OR COVER ALL EXPOSED FOODSTUFFS, COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED. AFTER USE: THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES. When used as directed, the application of insectigone should not present a hazard to consumers.**INSECTICIDE RESISTANCE WARNING**

For insecticide resistance management, Insectigone Insecticide is a Group 3A insecticide.

Some naturally-occurring insect biotypes resistant to Insectigone Insecticide and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Insectigone Insecticide or other Group 3A Insecticides are used repeatedly. The effectiveness of Insectigone Insecticide on resistant individuals could be significantly reduced.

Since the occurrence of resistant individuals is difficult to detect prior to use, PCT International Pty Ltd accepts no liability for any losses that may result from the failure of Insectigone Insecticide to control resistant insects.

Insectigone Insecticide may be subject to specific resistance management strategies. For further information contact your local supplier, PCT International Pty Ltd representative or local agricultural department agronomist.

CAUTION: AVOID CONTACT WITH FOOD, FOOD UTENSILS, OR PLACES WHERE FOOD IS PREPARED OR STORED. BEFORE USE: REMOVE OR COVER ALL EXPOSED FOODSTUFFS, COVER ALL DISHES AND UTENSILS, AND PLACES WHERE FOOD IS PREPARED OR STORED. AFTER USE: THOROUGHLY VENTILATE TREATED AREA. CLEAN UP THOROUGHLY BEFORE PROCESSING/SERVING RESUMES. When used as directed, the application of insectigone should not present a hazard to consumers.**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** Dangerous to fish. Do not contaminate dams, rivers, or streams with pesticide, used containers or unwanted spray mixture.**STORAGE AND DISPOSAL:** Store in the closed, original container in a safe, well-ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers should not be burnt.**SAFETY DIRECTIONS:** Product is harmful if swallowed. Facial skin contact may cause temporary facial numbness. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves and face shield. If product gets on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield and contaminated clothing.**FIRST AID:** If poisoning occurs, contact a doctor or Poisons information Centre **Phone: 13 11 26****MATERIAL SAFETY DATA SHEET:** Additional information is listed in the Material Safety Data Sheet available from PCT INTERNATIONAL PTY LTD.**EXCLUSION OF LIABILITY:** This product as supplied is of high grade and suitable for the purpose for which it is expressly intended and must be used in accordance with the directions. The user must monitor the performance for any product as climatic, geographical or biological variables and/or developed resistance may affect the results obtained. No responsibility is accepted in respect of this product, save for those non-excludable conditions implied by the Trade Practices Act or any State legislation.

PCT INTERNATIONAL PTY LTD. EMERGENCY TELEPHONE 1800 630 877

PO Box 8078 Acacia Ridge Delivery Centre, Acacia Ridge, Q. 4077

BATCH NO:

DATE OF MANUFACTURE:

GROUP 3A INSECTICIDE