



遠東包裝工業私人有限公司  
 FAR EAST PACKAGING INDUSTRIAL PTE. LTD.  
 Co. Reg. No: 197602191G

18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
 Please check carefully,  
 sign and return



Size: W 236mm X H 173mm Net: 500 g

**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outdoor:</b> Abattoirs, animal housing, garbage containers, food processing plants. <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps. <b>Inside:</b> Animal housed ONLY in areas inaccessible to livestock. <b>Under:</b> Animal and poultry cages ONLY (in areas inaccessible to livestock).	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry bait:</b> Breakback or scatter bait evenly over the areas directly from the container, or with a scoop OR set up bait stations by sprinkling in to troughs, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet bait:</b> In many situations more flies can be attracted by sprinkling bait on moist feces or soiled, patted out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations. Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shales or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination. Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**

For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative.

David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging. Do NOT use in food shops. Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

David Gray & Co. Pty. Ltd.  
 ABN: 73 068 671 127  
 2 Rowlinson Street  
 D'CONNOR WA 6163  
 PH: (08) 9337 4933  
 FAX: (08) 9337 8316  
 www.davidgray.com.au

Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/500G/0108

DOM:

BATCH NO:




**POISON**  
 KEEP OUT OF REACH OF CHILDREN  
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
 DY-FLY PLUS  
 FLY BAIT**

**ACTIVE CONSTITUENTS:**  
 10 g/kg METHOMYL  
 (an anti-cholinesterase compound)  
 0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

A ready to use fly bait containing  
 Muscamone [(Z)-9-tricosene] sex attractant.  
 For the control of adult houseflies associated with  
 animal production, industrial and public health areas,  
 as per the DIRECTIONS FOR USE table.



Net Contents: 500 g

**Important:** This is your original manuscript, any additional changes will incur a nominal charge. before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
 Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_





18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 600 g



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants. <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps. <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock. <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the area directly from the container or with a scoop OR Set up bait stations by sprinkling in to shallow tins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist fresh manure, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations. Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination. Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative. David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**  
Do NOT allow contact with raw or processed food, utensils or packaging. Do NOT use in food shops. Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**  
Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**  
Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**  
Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**  
If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**  
Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**  
This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.

**David Gray & Co. Pty. Ltd.**  
ABN: 73 088 671 127  
2 Rawlinson Street  
D'CONNOR WA 6163  
PH: (08) 9337 4833  
FAX: (08) 9337 8316  
www.davidgray.com.au

Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/600G/0108

DOM:

BATCH NO:



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
DY-FLY PLUS  
FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing  
Muscamone [(Z)-9-tricosene] sex attractant.**  
For the control of adult houseflies associated with  
animal production, industrial and public health areas,  
as per the DIRECTIONS FOR USE table.



Net Contents: 600 g

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_



遠東包裝工業私人有限公司  
 FAR EAST PACKAGING INDUSTRIAL PTE. LTD.  
 Co. Reg. No: 197602191G

18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
 Please check carefully,  
 sign and return

Size: W 236mm X H 173mm Net: 1 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs an mal housing garbage containers food processing plants  <b>Accident:</b> Industrial sites, feedlot manure heaps, garbage dumps  <b>Inside:</b> Abattoirs houses ONLY in areas inaccessible to livestock  <b>Under:</b> Animal at 2 poultry cages ONLY in areas inaccessible to livestock	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container or with a scoop OR: Set up bait stations by sprinkling in to shallow bins, tins or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist Messian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly population.  Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination.  Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
 For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is  
 a Group 1A insecticide. Some naturally occurring insect biotypes resistant  
 to Dy-Fly and other Group 1A insecticides may exist through normal  
 genetic variability in any insect population. The resistant individuals can  
 eventually dominate the insect population if Dy-Fly or other Group 1A  
 insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant  
 individuals could be significantly reduced. Since occurrence of resistant  
 individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts  
 no liability for any losses that may result from the failure of David Grays  
 Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management  
 strategies. For further information on managing insecticide resistance  
 contact your local supplier or David Grays sales representative.  
 David Grays Dy-Fly contains an acutely bitter agent which reduces the  
 possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging.  
 Do NOT use in food shops.  
 Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**  
 Do NOT place baits in locations which are accessible to domestic animals,  
 livestock or birds. Do NOT contaminate streams, rivers or waterways with  
 the chemical or used containers. Dangerous to fish. Clean up spillage  
 promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out  
 of direct sunlight. Triple or preferably pressure rinse containers before  
 disposal. Dispose of rinsings in a disposal pit specifically marked and set  
 up for this purpose, clear of waterways, desirable vegetation and tree  
 roots. Break, crush or puncture and bury empty containers in a local  
 authority landfill. If no landfill is available, bury the containers below 500  
 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch  
 bait. Use scoop or measure. If on skin or hand after each baiting, wash  
 thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre  
 (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5  
 minutes until dryness of the mouth occurs - if poisoned by skin absorption  
 or through lungs, removed any contaminated clothing, wash skin  
 thoroughly and give atropine tablets as above. Get to a doctor or hospital  
 quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS)  
 available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all  
 instructions appearing on the label and in other reference material. So far  
 as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or  
 responsibility for loss or damage arising from failure to follow such  
 directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/1KG/0108

**DOM:**

**BATCH NO:**



Net Contents: 1Kg

**POISON**  
 KEEP OUT OF REACH OF CHILDREN  
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
 DY-FLY PLUS  
 FLY BAIT**

**ACTIVE CONSTITUENTS:**  
 10 g/kg METHOMYL  
 (an anti-cholinesterase compound)  
 0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

A ready to use fly bait containing  
 Muscamone [(Z)-9-tricosene] sex attractant.  
 For the control of adult houseflies associated with  
 animal production, industrial and public health areas,  
 as per the DIRECTIONS FOR USE table.

**Important:** This is your original manuscript, any additional changes will incur a nominal charge.  
 before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost  
 care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the cus-  
 tomers, responsibility. Your signed approval provides Far East Packaging with the authority to print your  
 order as per attached proof. All original artwork created by Far East Packaging remains the property of Far  
 East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
 Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_



18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 3 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants.  <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps.  <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock.  <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container or with a scoop OR set up bait stations by sprinkling in to shallow fire, lids or similar containers and place where flies congregate. <b>Wet Bait:</b> Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations.  Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges, in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination. Re-bait dry bait stations as above.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative. David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging. Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/3KG/0108

DDM:

BATCH NO:



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
DY-FLY PLUS  
FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing  
Muscamone [(Z)-9-tricosene] sex attractant.**  
For the control of adult houseflies associated with  
animal production, industrial and public health areas,  
as per the DIRECTIONS FOR USE table.



Net Contents: 3 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_





18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 10 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants.  <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps.  <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock.  <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies ( <i>Musca domestica</i> )	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container, or with a scoop OR Set up bait stations by sprinkling in to shallow bins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist Hessian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations.  Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination.  Re-bait dry bait stations as above.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative. David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging. Do NOT use in food shops. Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 25). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/10KG/0108

DOM:

BATCH NO:




**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
DY-FLY PLUS  
FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing  
Muscamone [(Z)-9-tricosene] sex attractant.**  
For the control of adult houseflies associated with  
animal production, industrial and public health areas,  
as per the DIRECTIONS FOR USE table.



Net Contents: 10 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_



18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 12.5 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants.  <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps.  <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock.  <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container, or with a scoop OR Set up bait stations by sprinkling in to shallow tins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist Hessian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations.  Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination.  Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.  
David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative.  
David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging.  
Do NOT use in food shops.  
Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**  
Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/12.5KG/0108

DOM:

BATCH NO:



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING


**DAVID GRAYS**  
**DY-FLY PLUS**  
**FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing Muscamone [(Z)-9-tricosene] sex attractant.**

**For the control of adult houseflies associated with animal production, industrial and public health areas, as per the DIRECTIONS FOR USE table.**



Net Contents: 12.5 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_



18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 15 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants. <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps. <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock. <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container, or with a scoop OR Set up bait stations by sprinkling in to shallow tins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist Hessian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations.  Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination.  Re-bait dry bait stations as above.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

**GENERAL INSTRUCTIONS:**

**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**

For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.

David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative. David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**

Do NOT allow contact with raw or processed food, utensils or packaging. Do NOT use in food shops. Do NOT use inside the home or where milk is processed.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:** Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**

Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**

Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 25). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**

Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/15KG/0108

**DOM:**

**BATCH NO:**



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
DY-FLY PLUS  
FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing  
Muscamone [(Z)-9-tricosene] sex attractant.**  
For the control of adult houseflies associated with  
animal production, industrial and public health areas,  
as per the DIRECTIONS FOR USE table.



Net Contents: 15 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_



 遠東包裝工業私人有限公司  
 FAR EAST PACKAGING INDUSTRIAL PTE. LTD.  
 Co. Reg. No: 197602191G

18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
 Please check carefully,  
 sign and return

Size: W 236mm X H 173mm Net: 20 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants. <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps. <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock. <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container, or with a scoop OR set up bait stations by sprinkling in to shallow bins, tins or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moistessian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations. Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination. Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**  
**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
 For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.  
 David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative.  
 David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**  
 Do NOT allow contact with raw or processed food, utensils or packaging.  
 Do NOT use in food shops.  
 Do NOT use inside the home or where milk is processed.  
**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**  
 Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**  
 Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.

**SAFETY DIRECTIONS**  
 Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**  
 If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.

**MATERIAL SAFETY DATA SHEET**  
 Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**  
 This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.

 David Gray & Co. Pty. Ltd.  
 ABN: 73 068 671 127  
 2 Rawlinson Street  
 CONNOR WA 6163  
 PH: (08) 9337 4933  
 FAX: (08) 9337 3316  
 www.davidgray.com.au

Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/20KG/0108

DOM:

BATCH NO:



**POISON**  
 KEEP OUT OF REACH OF CHILDREN  
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS**  
**DY-FLY PLUS**  
**FLY BAIT**

**ACTIVE CONSTITUENTS:**  
 10 g/kg METHOMYL  
 (an anti-cholinesterase compound)  
 0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing Muscamone [(Z)-9-tricosene] sex attractant.**  
**For the control of adult houseflies associated with animal production, industrial and public health areas, as per the DIRECTIONS FOR USE table.**



Net Contents: 20 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
 Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_





18/20, SENOKO LOOP, WOODLANDS EAST INDUSTRIAL ESTATE, SINGAPORE 758152.

**YOUR PROOF**  
Please check carefully,  
sign and return

Size: W 236mm X H 173mm Net: 200 Kg



**DIRECTIONS FOR USE:**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>Outside:</b> Abattoirs, animal housing, garbage containers, food processing plants. <b>Around:</b> Industrial sites, feedlot manure heaps, garbage dumps. <b>Inside:</b> Animal houses ONLY in areas inaccessible to livestock. <b>Under:</b> Animal and poultry cages ONLY in areas inaccessible to livestock.	Adult houseflies (Musca domestica)	2.5 g/m <sup>2</sup>	<b>Dry Bait:</b> Broadcast or scatter bait widely over the areas directly from the container, or with a scoop OR set up bait stations by sprinkling in to shallow tins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or poultry and away from feed troughs, storage or mixing areas. <b>Wet Bait:</b> In many situations more flies can be attracted by sprinkling bait on moist Hessian sacks, placed out of reach of all livestock. <b>Re-baiting:</b> Re-baiting will be necessary in 3-5 days depending on exposure, weather and density of fly populations. Set up dry bait stations as above. Place out of reach of all livestock and away from feed, e.g. mounted on wall brackets, shelves or ledges in such a position that livestock would not have access to bait if accidentally dislodged - either directly or by feed contamination. Re-bait dry bait stations as above.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS:**  
**Insecticide Resistance Warning:** **GROUP 1A INSECTICIDE**  
 For insecticide resistance management, David Grays Dy-Fly Plus Fly Bait is a Group 1A insecticide. Some naturally occurring insect biotypes resistant to Dy-Fly and other Group 1A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Dy-Fly or other Group 1A insecticides are used repeatedly. The effectiveness of Dy-Fly on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, David Gray Co Pty Ltd accepts no liability for any losses that may result from the failure of David Grays Dy-Fly to control resistant insects.  
 David Grays Dy-Fly may be subject to specific resistance management strategies. For further information on managing insecticide resistance contact your local supplier or David Grays sales representative.  
 David Grays Dy-Fly contains an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.

**PRECAUTIONS**  
 Do NOT allow contact with raw or processed food, utensils or packaging.  
 Do NOT use in food shops.  
 Do NOT use inside the home or where milk is processed.  
**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:**  
 Do NOT place baits in locations which are accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers. Dangerous to fish. Clean up spillage promptly.

**STORAGE AND DISPOSAL**  
 Store in the closed, original container in a dry, cool well-ventilated area out of direct sunlight. Triple or preferably pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit. Empty containers and product should not be burnt.  
**SAFETY DIRECTIONS**  
 Poisonous if swallowed. Avoid contact with eyes and skin. Do not touch bait. Use scoop or measure. If on skin or/and after each baiting, wash thoroughly with soap and water.

**FIRST AID**  
 If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 13 11 26). If swallowed, give one atropine tablet every 5 minutes until dryness of the mouth occurs - if poisoned by skin absorption or through lungs, removed any contaminated clothing, wash skin thoroughly and give atropine tablets as above. Get to a doctor or hospital quickly.  
**MATERIAL SAFETY DATA SHEET**  
 Additional information is listed in the Material Safety Data Sheet (MSDS) available from David Gray & Co Pty Ltd or www.davidgray.com.au

**EXCLUSION OF LIABILITY**  
 This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, David Gray Co. Pty Ltd accepts no liability or responsibility for loss or damaged arising from failure to follow such directions and instructions.



Dy-Fly is a registered TradeMark of Aventis

APVMA Approval No: 54118/200KG/0108

DOM:  
BATCH NO:



**POISON**  
KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

**DAVID GRAYS  
DY-FLY PLUS  
FLY BAIT**

**ACTIVE CONSTITUENTS:**  
10 g/kg METHOMYL  
(an anti-cholinesterase compound)  
0.5 g/kg (Z)-9-TRICOSENE

**GROUP 1A INSECTICIDE**

**A ready to use fly bait containing  
Muscamone [(Z)-9-tricosene] sex attractant.**  
For the control of adult houseflies associated with animal production, industrial and public health areas, as per the DIRECTIONS FOR USE table.



Net Contents: 200 Kg

**Important: This is your original manuscript, any additional changes will incur a nominal charge.** before signing this proof check that the PLU Code or Bar Code correctly matches the variety. While utmost care is taken that this artwork is correct, any errors or spelling mistakes overlooked now become the customers, responsibility. Your signed approval provides Far East Packaging with the authority to print your order as per attached proof. All original artwork created by Far East Packaging remains the property of Far East Packaging unless expressed otherwise.

Company: \_\_\_\_\_ Attn: \_\_\_\_\_  
 Job No: \_\_\_\_\_ Proofs OK - Signed \_\_\_\_\_ Date: \_\_\_\_\_