

Product Name: David Grays Antex Pro  
APVMA Approval No: 93050/137811



Label Name:	David Grays Antex Pro
-------------	-----------------------

Signal Headings:	CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	ACTIVE CONSTITUENT: 100 g/L Fipronil
-------------------------	--------------------------------------

Mode of Action:	GROUP 2B INSECTICIDE
-----------------	----------------------

Statement of Claims:	For the control of Nuisance ants within domestic and commercial structures, external areas and surrounds of domestic, commercial, public and industrial buildings and structures.
----------------------	---

Net Contents:	500 mL - 1000 L
---------------	-----------------

Restrains:	DO NOT apply at less than label rates. DO NOT apply to excessively wet soils, immediately after or during heavy rain to avoid runoff of the chemical.
------------	--

Directions for Use:	This section contains file attachment.
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	
Trade Advice:	
General Instructions:	This section contains file attachment.
Resistance Warning:	<p><b>Insecticide Resistance Warning</b> <b>GROUP 2B INSECTICIDE</b></p> <p>For insecticide resistance management DAVID GRAYS ANTEX PRO is a Group 2B insecticide.</p> <p>Some naturally occurring insect biotypes resistant to DAVID GRAYS ANTEX PRO and other Group 2B insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if the product or other Group 2B insecticides are used repeatedly. The effectiveness of DAVID GRAYS ANTEX PRO on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, DAVID GRAY &amp; CO PTY LIMITED accepts no liability for any losses that may result from the failure of the product to control resistant insects.</p> <p>DAVID GRAYS ANTEX PRO may be subject to specific resistance management strategies. For further information contact your local supplier or DAVID GRAY &amp; CO PTY LIMITED representative or local agricultural department agronomist.</p>
Precautions:	<p>Residents and pets should not be allowed in a room being treated. Any spills should be cleaned up before leaving the room (refer to SDS).</p> <p>Ensure all heating/air conditioning ducts, air vents, plumbing pipes, sewer lines, floor drains, heating pipes and electrical lines/conduits are known and identified before commencing any application of this product. Do NOT puncture or contaminate any of these. Avoid application around edible plants.</p> <p><b>RE-ENTRY PERIOD</b> DO NOT re-enter treated areas until spray has dried.</p>
Protections:	<p><b>PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT</b> Highly toxic to fish and aquatic organisms. Do NOT apply to areas where surface water is present. Rinse waters and runoff from treated areas MUST be prevented from entering drains or watercourses. Do NOT apply if heavy rains are expected to occur within 48 hours of application. Do NOT contaminate streams, rivers or watercourses with the chemical or used containers. Dangerous to bees.</p> <p><b>PROTECTION OF PETS AND LIVESTOCK</b> Before spraying remove animals and pets from the areas to be treated. Cover or remove any open food and water containers. Cover or remove (as applicable) fish ponds, aquariums etc. before spraying.</p>
Storage and Disposal:	Store in the closed, original container in a cool, well-ventilated area. Do NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings

to spray tank. Do not dispose of undiluted chemicals onsite. If recycling replace cap and return clean containers to recycler or designated collection point. If not recycling, break crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

**Safety Directions:**

Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Wash hands after use. When opening the container, preparing spray and using the prepared spray, wear chemical resistant clothing buttoned to the neck and wrist, washable hat, half-facepiece respirator with combined dust and gas cartridge and elbow-length chemical resistant or nitrile gloves. After each day's use, wash gloves, contaminated clothing and respirator and if rubber wash with detergent and warm water.

**First Aid Instructions:**

If Poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766.

**First Aid Warnings:**

**Direction for use: All states except Tasmania**

SITUATION	PEST	RATE	CRITICAL COMMENTS
<b>External areas and surrounds of domestic, commercial, public and industrial buildings and structures</b>	Nuisance Ants, including but not limited to: Argentine Ant ( <i>Linepithema humile</i> ), Black House Ant ( <i>Ochetellus glaber</i> ), Pedicel Ant/ Odourous House Ant ( <i>Tapinoma</i> spp.), Pharaoh's Ant ( <i>Monomorium phararonis</i> ), Whitefooted Ant ( <i>Technomyrmex albipes</i> )	6 mL in 1 L of water	Mix the required volume of David Grays Antex Pro in water. Treat surfaces 300 mm out from where the building or structure touches the ground. Apply at the rate of 1 L of prepared suspension per 25 lineal metres. Pay particular attention to potential entry points, such as weep holes, cracks and crevices. Also apply to ant trails and where ants are active away from the nest. Structures may include retaining walls, fences, garden beds, sheds, etc.
<b>Spot applications to nests in domestic situations</b>	Nuisance Ants, including but not limited to: Funnel Ant ( <i>Aphaenogaster pythia</i> ), Greenhead Ants ( <i>Rhytidopenera</i> spp.), Meat Ants ( <i>Iridomyrmex</i> spp.), Red Imported Fire Ant ( <i>Solenopsis invicta</i> ), Yellow Crazy Ant ( <i>Anoplolepis gracilipes</i> )		Mix the required volume of David Grays Antex Pro in water. Treat the nest entrance or mound, and where ants are active away from the nest. Apply at the rate of 1 L of prepared suspension per 16 m <sup>2</sup> or 60 mL per m <sup>2</sup> .

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## **GENERAL INSTRUCTIONS**

### **ANT CONTROL**

David Grays Antex Pro will control ants by direct contact and residual activity on treated surfaces. When applied as a surface spray as directed, the product will give up to 3 months control of ants and is best applied as ant activity increases in early spring. A follow up application during summer may be required.

### **MIXING:**

Half fill the spray tank with water and then add the required quantity of David Grays Antex Pro. Stir and then top up the spray tank to the required volume. The use of this product in a tank mix with other insecticides is not recommended as the behaviour and efficacy of the product may be affected. Ensure equipment is free of leaks and clean from residues of other chemicals before mixing David Grays Antex Pro.