



Australian Pesticides &
Veterinary Medicines Authority

Product Name: David Grays Blockade Winter Grass Killer
APVMA Approval No: 42282/148062

| | |
|-------------------------|--|
| Label Name: | David Grays Blockade Winter Grass Killer |
| Signal Headings: | CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING |
| Constituent Statements: | ACTIVE: 100 g/kg PROPYZAMIDE |
| Statement of Claims: | For selective control of Winter Grass in Sports turf and lawns in the home garden. |
| Net Contents: | 125 g |
| Restrains: | RESTRAINTS DO NOT use David Grays Blockade Winter Grass Killer on heavy red and peat soils. DO NOT mix with any other pesticides. |
| How to Use: | This section contains file attachment. |
| Withholding Periods: | |
| How to Prepare: | HOW TO PREPARE: Enclosed spoon holds 2 grams when heaped. Add half of the water to the spray tank, mix in the recommended amount of David Grays Blockade Winter Grass Killer then add the rest of the water and agitate. The mixture must be kept in suspension at all times by continuous agitation. |

| | |
|--------------|--|
| Precautions: | |
|--------------|--|

| | |
|--------------|--|
| Protections: | <p>DO NOT allow spray to contact or drift onto plants you do not want killed.</p> <p>DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds.</p> <p>DO NOT feed turf/lawn clippings to poultry or livestock.</p> |
|--------------|--|

| | |
|-----------------------|--|
| Storage and Disposal: | <p>STORAGE & DISPOSAL</p> <p>Store in the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.</p> |
|-----------------------|--|

| | |
|--------------------|--|
| Safety Directions: | <p>SAFETY DIRECTIONS</p> <p>Will irritate the eyes and skin. Avoid contact with eyes and skin. Avoid inhaling the dust. When preparing the spray, or using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.</p> |
|--------------------|--|

| | |
|-------------------------|---|
| First Aid Instructions: | <p>FIRST AID</p> <p>If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.</p> |
|-------------------------|---|

| | |
|---------------------|--|
| First Aid Warnings: | |
|---------------------|--|

HOW TO USE:

| SITUATION | PEST | RATE | HOW TO APPLY |
|--------------------------------|--------------|--|--|
| Turf and Lawns Common Couch | Winter Grass | All States 60 g in 10 L water per 100m ² lawn. | <p>Apply during the Autumn and Winter, if established turf is infested with seedling Winter Grass. Ensure a uniform overage. Irrigate immediately after application with 12-25 mm irrigation or rain and again 24 hours later. Repeat treatment if necessary on QLD blue couch after 4 weeks.</p> <p>DO NOT RESEED FOR 60 DAYS AFTER TREATMENT. Use ONLY on established turf. DO NOT use on bluegrass, ryegrass, fescue or bent grass lawns.</p> |
| Buffalo Grass | | WA only 60 g in 10 L water per 100 m ² lawn. | |

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL
UNLESS AUTHORISED.